

# Glass Shade 024

Project \_\_\_\_\_

Notes \_\_\_\_\_

Fixture Type \_\_\_\_\_

Date \_\_\_\_\_


## DESCRIPTION

While being classic and casual each and everyone is unique. These very high quality mouth blown glass shapes, bring a little sparkle in every room. The various combinations offered allow to personalize your decor and provide a soft lighting.

## CANOPY SPECIFICATIONS


CANOPY - P1 and P2 are made of gauge 20 cold rolled steel.  
 - P3, PD1, PDR1, PR1 and PR2 are decorative plates made of gauge 14 and 20 cold rolled steel.

**P1**  
Beveled round canopy




Available in 3 painted colors or 4 plated finishes.

**P2**  
Round canopy




Available in 3 painted colors or 4 plated finishes.

**P3**  
Round canopy with decorative plate




Available in 3 painted colors or 3 plated finishes.

**PR1**  
Square canopy with decorative plate




Available in 3 painted colors or 3 plated finishes.

**PD1**  
Ultra thin round canopy




Available in 3 painted colors or 3 plated finishes.

**PDR1**  
Ultra thin square canopy



Available in 3 painted colors or 3 plated finishes.

**PR2**  
Rectangular canopy with decorative plate



Available in 3 painted colors or 3 plated finishes.



PS024GCAP (Illustrated)

INSTALLATION These canopies fit in 4" (102 mm) junction boxes.

CABLE AND STEM

- Cables offered in standard lengths of 6' (1,829 mm). Custom length up to 10' (3,048 mm) for 12V cable (available upon request).
- 5/16" Steel stems matching the canopy color offered in increments from 6" (152 mm) to 48" (1,219 mm).

# Glass Shade 024

Complete unit consists of:

Canopy + Cable/Stem + Suspension System + Shade

## BI-PIN (GY6.35) SPECIFICATIONS


SOCKET	Universal GY6.35/GX5.3
SOURCE	Low Voltage Halogen Lamp Maximum Wattage: 50W Bi-Pin Lamp (included)
POWER SUPPLY	120V/12V Electronic converter 277V/12V Electronic converter (available only with stem)
DIMMING	Compatible with Electronic Low Voltage (ELV) or Incandescent (TRIAC) dimmers
CERTIFICATION	cULus <b>E172892</b>

## G9 SPECIFICATIONS (Available only with stem)


SOCKET	G9 Base
SOURCE	G9 Line Voltage Lamps (not included)
POWER SUPPLY	Line Voltage 120V
DIMMING	Compatible with Incandescent (TRIAC) dimmers
CERTIFICATION	cULus <b>E172892</b>

## SUPPORT

**CONE** Three different shapes are offered. Machined steel cones are painted or plated to match to canopy color.



## DIMENSIONS FOR 024




# Glass Shade 024

Complete unit consists of:

Canopy + Cable/Stem + Suspension System + Shade


### BI-PIN CANOPY CODIFICATION EXAMPLE



### BI-PIN canopy ORDERING CODE

CANOPY	CANOPY COLOR	CABLE OR STEM	SUSPENSION SYSTEM	LAMPHOLDER	VOLTAGE
<b>P1</b>	<b>PAINTED</b>	<b>12V COAXIAL CABLE</b>	<b>CONE</b>	<b>1A</b> Bi-Pin	Standard: 120V/12V
<b>P2</b>	<b>01</b> White	<b>BK</b> Black	<b>C1</b>		<b>-2</b> 277V/12V
<b>P3</b>	<b>02</b> Black	<b>CO</b> Metal	<b>C2</b>		
<b>PD1</b>	<b>05</b> Architectural Bronze		<b>C3</b>		(Available only with stem)
<b>PDR1</b>		<b>STEM</b>			
<b>PR1</b>	<b>PLATED</b>	<b>06</b> 06"			
<b>PR2</b>	<b>04</b> Chrome	<b>12</b> 12"			
	<b>04BR</b> Brushed Chrome	<b>18</b> 18"			
	<b>12BR</b> Brushed Nickel	<b>24</b> 24"			
	<b>13</b> Satin Nickel	<b>36</b> 36"			
		<b>48</b> 48"			
	(Available only with P1 and P2)	(Stem available only with P1, P2, P3 and PR1)			

### G9 CANOPY CODIFICATION EXAMPLE



### G9 canopy ORDERING CODE


CANOPY	CANOPY COLOR	STEM	SUSPENSION SYSTEM	LAMPHOLDER
<b>P1</b>	<b>PAINTED</b>	<b>STEM</b>	<b>CONE</b>	<b>2B</b> G9
<b>P2</b>	<b>01</b> White	<b>06</b> 06"	<b>C1</b>	
<b>PR1</b>	<b>02</b> Black	<b>12</b> 12"	<b>C2</b>	
	<b>05</b> Architectural Bronze	<b>18</b> 18"	<b>C3</b>	
	<b>PLATED</b>	<b>24</b> 24"		
	<b>04</b> Chrome	<b>36</b> 36"		
	<b>04BR</b> Brushed Chrome	<b>48</b> 48"		
	<b>12BR</b> Brushed Nickel			
	<b>13</b> Satin Nickel			
	(Available only with P1 and P2)			



# Glass Shade 024

**Complete unit consists of:  
Canopy + Cable/Stem + Suspension System + Shade**

## GLASS SHADE CODIFICATION EXAMPLE



## Glass Shade ORDERING CODE

SHADE	SHAPE	MATERIAL	COLOR	TEXTURE	ASPECT (Available only with clear texture)
<b>PS</b>	<b>024</b>	<b>G</b>			
<b>PS</b>	<b>024</b>	<b>G</b> Glass	<b>BLS</b> Smoked Blue <b>GRS</b> Smoked Grey <b>M</b> Smoked Amber <b>R</b> Red	<b>C</b> Clear <b>F</b> Frosted interior <b>FF</b> Frosted interior/exterior	<b>A4</b> Bubbly <b>A6</b> Granite
			<b>N</b> Natural	<b>C</b> Clear <b>FF</b> Frosted interior/exterior	<b>A4</b> Bubbly <b>A6</b> Granite
			<b>BK</b> Black <b>CAP</b> Cappuccino <b>CHO</b> Chocolate <b>FUR</b> Furia <b>NEP</b> Neptune <b>W</b> White	... Standard: White interior/ Glossy exterior <b>FF</b> Frosted interior/exterior	
			<b>EVA</b> Eva <b>VAN</b> Vanilla	<b>C</b> Clear <b>F</b> Frosted interior <b>FF</b> Frosted interior/exterior	

